

LOOP-LOC II / ULTRA-LOC II SOLID

MEASURING FORM

DEALER INFORMATION

DEALER CODE: _____ DATE: _____
 COMPANY NAME: _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____
 JOB NAME: _____
 PO#: _____

SHIPPING INSTRUCTIONS

SHIP TO: _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____

SHIP VIA

BEST WAY
 AIR SERVICE: Overnight 2nd Day 3rd Day
 CUSTOMER PICK-UP
 MOTOR FREIGHT - Please specify carrier: _____

ESTIMATE **ORDER** USE CREDIT CARD ON FILE **ADDITIONAL INFORMATION**

If neither box is checked, we will consider this an estimate.

If this job was previously submitted.

POOL TYPE: **In-Ground** **On-Ground** **Commercial**

Over 2100 sq ft. made with approximate 3' sections

COVER INFORMATION: IF NO SPECIFIC COVER TYPE IS CHOSEN LOOP-LOC'S MAIN QUOTE WILL BE FOR LOOP-LOC II SUPER DENSE MESH GREEN.

SUPER DENSE MESH COVERS

SUPER DENSE MESH GREEN SAFETY COVER
 SUPER DENSE MESH DESIGNER COLOR SAFETY COVER BLACK BLUE GRAY TAN

ULTRA-LOC II SOLID COVERS

ULTRA-LOC II WITH MESH DRAINS

(100% Solid Green Polypropylene)

SOLID GREEN SAFETY COVER - WITH MESH DRAINS
 SOLID DESIGNER COLOR SAFETY COVER - WITH MESH DRAINS BLUE TAN

ULTRA-LOC II NO DRAINS WITH PUMP

SOLID GREEN SAFETY COVER - NO DRAINS WITH PUMP
 SOLID DESIGNER COLOR SAFETY COVER - NO DRAINS WITH PUMP BLUE TAN

(No Drains, Loop-Loc's Automatic Cover Pump must be purchased at an additional cost to be considered as a Safety Cover)

HARDWARE REQUIRED

Brass Anchors Wood Deck Anchors^(Up Charge) Masonry Anchor Collars^(Up Charge) 15" Pipe^(Up Charge) On-Ground Bracket^(Up Charge)

ADDITIONAL HARDWARE REQUIRED (Only Use This Section If Extra Hardware Is Required)

Please note any additional hardware with quantities here:

_____ / _____ / _____ / _____ / _____

REPLACEMENT COVER

Use replacement measure form or return old cover, freight pre-paid. Specify if new hardware is required.

Anchors Springs Pipe (Up Charge)

SPECIAL RECTANGLE (Mesh or Solid - additional cost)

Any rectangle made with approximate 3' sections.

(Required for Rectangles w/10' or more of raised wall treatment)



LOOP-LOC

POOL COVERS
No Compromises... No Excuses!

LOOP-LOC LTD.
 390 Motor Parkway
 Hauppauge, NY 11788

1-800-562-5667
 Fax: 631-582-2636 Email: sales@looploc.com
 WWW.LOOPLOC.COM

ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC

ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC

LOOP-LOC, LTD. 2014

COMPANY NAME: _____ JOB NAME/P.O.#: _____

Pool Type: Inground Onground Manufacturer _____

Sketch of pool showing varying deck levels & any obstructions

* show varying deck sizes on sketch


Corner Type: Square _____
 Radius Dimension _____
 Diagonal Length _____

Are cut corners wanted? Yes No


*cuts req'd for radii 4'+ and diagonals 3'+

Obstructions? Yes No

*Locate obstructions on sketch & submit question page




Please check appropriate box to indicate correct pool shape:




	A	B	C	D	E	F	G	H	I	J	K	L
Rectangle												
TrueL												
Grecian												
RomanEnd												
True Oval												
LazyL												


STEP or SWIMOUT: Note: Oval Pools - A-B must be done if step not centered or if there are obstructions.
 Roman Pools - sketch must be done showing step location



1 = _____
 2 = _____



1 = _____
 2 = _____
 3 = _____



1 = _____
 2 = _____

STEP LOCATION:

Centered: Yes - specify which wall step is located on _____

No - show location & offset on sketch on top.

If you have more than one step please provide detailed sketch with all dimensions and locations

COMPANY NAME: _____ JOB NAME/P.O.#: _____

A		B		A		B		A		B		A		B	
1				21				41				61			
2				22				42				62			
3				23				43				63			
4				24				44				64			
5				25				45				65			
6				26				46							
7				27				47							
8				28				48							
9				29				49							
10				30				50							
11				31				51							
12				32				52							
13				33				53							
14				34				54							
15				35				55							
16				36				56							
17				37				57							
18				38				58							
19				39				59							
20				40				60							

REQUIRED INFORMATION!

POINT TO POINT CROSS DIMENSIONS

PT. _____ to PT. _____	PT. _____ to PT. _____
Distance = _____	Distance = _____
PT. _____ to PT. _____	PT. _____ to PT. _____
Distance = _____	Distance = _____

DECKING INFORMATION

Deck Width (including coping) _____
 indicate areas less than 3' on sketch

Loop-Loc Pipes Wanted For Entire Cover? YES NO

POOL TYPE


Gunite Package Manufacture _____

What Is Corner Radius? _____
 What Is Diagonal Corner Length? _____
 Do You Want Cut Corners? YES NO
 (cuts req'd for radii greater than 4' and diagonal greater than 3')

PROVIDE INSIDE POOL DIMENSIONS INCLUDING STEP SIZE AND LOCATION • SHOW LOCATION OF POINTS "A" & "B" IN RELATION TO POOL • SHOW ALL OBSTRUCTIONS & PLANTERS • SHOW AREAS WHERE DECK IS LESS THAN 3' FROM WATERLINE TO OUTSIDE OF DECK INCLUDING COPING

**** DISTANCE FROM POINT "A" TO POINT "B" = _____ Ft. _____ In. ****

"A-B" Measurements cannot be used unless this distance is given! Distance should be at least 2/3 the length of the pool.



Contact: _____

Dealer/Company Name: _____

Job Name:/P.O.#: _____

Phone# _____ Fax# _____

OBSTRUCTIONS:

CHECK ONE YES NO

- 1. Are there any **non-removable** handrails, grabrails, or ladders?... YES NO
 - a. "A-B" dimensions are required to front center of all rails, blocks, cups, and to the points where rails dip below coping.
 - b. Distance rails extend into pool _____
Distance rails are set back from pool _____
Type of grabrail: Rail Concrete block/Anthony type
- 2. Are there any raised rail sockets?..... YES NO
 - a. "A-B" measure front center of socket.
 - b. Height of sockets _____ (3" or higher require cutout.)
- 3. Are there any grab rocks?..... YES NO
 - a. If yes, **PHOTO REQUIRED**.
"A-B" front center of each grab rock, and provide width of each.
 - b. Width of each grab rock. _____
Distance grab rocks are set back from pool _____
- 4. Is there a **non-removable** fillspout?..... YES NO
 - a. "A-B" dimensions needed for start and end of pipe.
 - b. Fillspout is: Level with deck Raised
If raised, how high? _____
Distance set back from pool _____
 - c. Is end of spout below coping?..... YES NO
Distance into pool _____
Distance below coping level _____
- 5. Is there a dive stand?..... YES NO
 - Distance set back from pool _____ (A-B if closer than 2')
 - a. Is diving board removable?.....
 - b. Is LOOP-LOC Dive Stand Kit required?..... YES NO
- 6. Is there a dive rock?..... YES NO
 - a. If yes, **PHOTO REQUIRED**.
"A-B" the sides and front of rock, as well as the pool wall, using 1' intervals. PT. #'s _____
 - b. Distance rock overhangs pool edge _____
Distance rock extends below deck level _____
 - c. Height of rock _____
- 7. Are there slide legs within 2' of pool?..... YES NO
 - a. If yes, give "A-B" dimensions to each leg, and give the distance each is set back from pool edge.

SPA INFORMATION: PHOTOS REQUIRED

- 8. Is there a spa? YES NO
 - Coping width _____
 - a. Is spa to be included in this estimate/order?..... YES NO
 - Is separate cover required for spa?..... YES NO
 - One cover for pool and spa?..... YES NO
 - b. Is spa raised above pool?..... YES NO
 - If yes, how high? _____
 - c. Can anchors be installed on the outside spa wall?..... YES NO
(For Safety 16" height or greater cover must be designed to anchor into spa side wall)
 - d. Is spa dividing wall flush with top of coping?..... YES NO
"A-B" Dimensions required on both Spa & Pool side of wall.
 - e. Does spa wall have an open spillway?..... YES NO
If yes, "A-B" dimensions are required to locate spillway.
 - f. If solid w/drains, is drain panel wanted in spa area?..... YES NO
 - g. Are there any other specific spa cover design instructions?..... YES NO
Please specify! _____

DECKING & COPING:

CHECK ONE YES NO

- 9. Coping Width _____ Coping Material _____
 - a. Is coping rough?..... YES NO
 - b. Rolls of "Undr Covr" padding wanted?..... YES NO
 - c. Sewn perimeter padding wanted?..... YES NO
- 10. Deck Width (including coping) _____
indicate area less than 3' on sketch
- 11. Deck Material: please show on sketch if deck type varies
 - a. **Wood:**
Loop-Loc Wood Deck anchors wanted? YES NO
 - b. **Paver Deck:**
Loop-Loc Pipes wanted for anchor in pipe installation?..... YES NO
 - c. **Planters or Grass Areas:**
Loop-Loc Pipes wanted for anchor in pipe installation?..... YES NO
Overlap wanted in planter area _____ (minimum 9" for safety)
- 12. Auto Cover box?..... YES NO
 - a. Is cover box flush with coping?..... YES NO
 - b. Is cover box raised? If yes, how high _____ YES NO
 - c. Dividing wall between waterline and coverbox? Width _____

RAISED AREAS: PHOTOS REQUIRED

- 13. Are all raised areas strong enough for cover to attach to it with wall anchors and o-rings?..... YES NO
 - a. Facade walls - Are longer wall anchors wanted? (upcharge)..... YES NO
 - b. Height of Raised area _____
 - c. A-B the beginning, the end, the front and sides of the raised area where cover is to be attached, as well as the pool wall, at 1' intervals.
Note start & end points below:
Begins @ pt # _____ Ends @ pt # _____ | Begins @ pt # _____ Ends @ pt # _____
Begins @ pt # _____ Ends @ pt # _____ | Begins @ pt # _____ Ends @ pt # _____
 - d. Waterfall or Rock formations - need distance rocks overhang pool edge _____

VARYING DECK LEVELS: PHOTOS REQUIRED

- 14. A-B location for each rise, A-B each level including points on risers to show angle away from pool edge.
Pt # _____ height _____ | Pt # _____ height _____ | Pt # _____ height _____
Pt # _____ height _____ | Pt # _____ height _____ | Pt # _____ height _____
Total Height _____
If there are raised areas or varying deck levels select treatment wanted:
 Raised Wall Treatment Up & Over Treatment Protect-A-Gap with Cable & Cable Kit (Maximum Rise 9") (Rises over 9")

NEGATIVE EDGE/OVERFLOW POOLS: PHOTOS REQUIRED

- 15. Is basin to be included in this estimate/order?..... YES NO
 - a. Is separate cover required for Basin? YES NO
 - b. One Cover for pool and Basin?(May be non-safe)..... YES NO
 - c. Elevation difference between pool coping & Basin Coping _____

ONGROUND POOLS:

- 16. Are there varying deck sizes? (If yes, submit sketch)..... YES NO
 - a. If deck is wood indicate:
 Loop-Loc Wood Deck Flanges Loop-Loc On-Ground Brackets

COMMERCIAL POOLS: (ie: over 2,100 sq. ft.)

- Pool type: Skimmer Exposed Gutter
Gutter width _____
Measure to deck edge & indicate location of gutter on sketch
- 17. Are there any specific design instructions? Please specify.

MEASURING INSTRUCTIONS

1. Begin with a freehand sketch indicating inside pool dimensions. Include deck area, planters and any obstructions within 3' of the waterline. **A photo of the pool is needed when rocks, waterfalls, raised walls, spas or anything out of the ordinary exists.**
2. Establish two points, "A-B" with "A" on the left as shown. "A-B" line must be at least 3' away from the pool and 2/3 the length of the pool; 20'-25' is typical (show this on the sketch). To mark "A-B" points on deck - use chalk marks, on ground - use stakes in the dirt.

NOTE: The "A-B" line **must never** cross the pool line and should be approximately 3' away from the pool at the closest point (4' to 5' away for pools over 44' long).

3. Using chalk, mark and number points along the inside edge of the pool at approximately 3' intervals. Number all corner points, ladders, handrails, grabrails, slide legs, rocks, spillways, spa walls separating spa and pool, fill spout and dive stand. **1' to 2' intervals should be used in small or tight radius areas.** For raised area, points should be taken to the beginning, the end, the front and the sides of raised area where cover is to be attached, as well as the pool wall at 1' intervals. Straight walls should have at least 3 points, beginning, middle and end.
4. Measurements are now taken from point "A" to point #1, then point #2, and all the way around the pool. Then measure from point "B" to same point #1 and then #2, as you did for point "A". Measurements are listed in column format as shown.
5. Take measurements **between 2 known points** to determine the **length and width** of the pool. Additional measurements for difficult pools are suggested. Cross dimensions to any raised beam obstacles are also recommended.

NO.	A	B
1	12'-3"	28'-5"
2	13'-8"	29'-7"
3	14'-0"	32'-6"
4		
5		
6		
7		
8		
9		
10	CONTINUE	CONTINUE
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		

* Replacement Covers - A-B line should be 3' back from anchors. Same A-B line should be used for both pool and anchors whenever possible. If same A-B line not possible, common A-B points and the relationship between the 2 different A-B lines must be shown. **Please use Loop-Loc's replacement/alteration measuring form.**

