



LOOP-LOC<sup>®</sup>  
THE ONE. THE ONLY.

IS YOUR POOL COVER THIS SAFE?



LOOP-LOC COVERS  
SAFETY POOL COVERS | 2015

MADE IN THE USA



Manual Safety Cover  
In accordance with ASTM  
Standard F 1346-91



# SAFETY SWIMMING POOL COVERS

PROTECT YOUR FAMILY WITH THE ONLY MESH POOL COVER  
THAT PASSED THE ELEPHANT TEST.

**LOOP-LOC® puts an unbreakable “lock” on your pool** to protect your family. Only LOOP-LOC is available with the patented CABLE-LOC™ and GAPGUARD® Child Safety Intrusion Barriers. They close the dangerous gaps created where raised obstructions meet the cover’s edge, so there’s no way a child or pet can slip through.

LOOP-LOC’s exclusive Computer Aided Design **ensures a perfect, custom fit for any shape or size pool:** from a simple square to the most complex installation, LOOP-LOC can manufacture a custom cover with the perfect fit for any pool or spa.

**LOOP-LOC always stays tight, clean and beautiful on your pool** – unlike a saggy, unsightly waterbag cover that becomes a dangerous, slippery swamp after just a few rains. LOOP-LOC’s super dense mesh allows rain to drain through. The cover stays dry and beautiful in any weather!

Unlike solid waterbag covers, a **LOOP-LOC requires no pumping, scrubbing or heavy maintenance.** Plus, it’s easy to install and remove with LOOP-LOC’s unique anchoring system.



390 MOTOR PKWY., HAUPPAUGE, NY 11788 | [WWW.LOOPLOC.COM](http://WWW.LOOPLOC.COM) | 1.800.LOC.LOOP

(Please note: “Bubbles” the elephant, is seen standing on the mesh cover as a demonstration of the substantial amount of weight that LOOP-LOC covers can withstand in the event of an emergency. Contact with sharp-hooved animals will damage the covers.)



Manual Safety Cover  
In accordance with ASTM  
Standard F 1346-91



### UNIQUE ANCHORS

Offers ultimate protection and fit  
flush with the deck.

CHOICE OF  
BLACK, GRAY, GREEN, TAN OR BLUE  
TO COMPLEMENT YOUR OUTDOOR DÉCOR.



LOOP-LOC covers not only meet, but exceed, ASTM standards for Safety Swimming Pool Covers F 1346-91. To show our commitment and dedication to the safety and security of your family, LOOP-LOC covers have undergone extensive outside testing through Underwriters Laboratories (U.L.) and have earned the seal of approval for safety swimming pool covers.



# SUPER DENSE MESH

PROTECT YOUR FAMILY WITH THE ONLY MESH POOL COVER THAT PASSED THE ELEPHANT TEST.

You'll probably never need a pool cover safe and strong enough to support the weight of "Bubbles," the African elephant seen on the cover. But imagine how safe you'll feel owning the only pool cover that's proven it can: the LOOP-LOC® Safety Swimming Pool Cover.



+ BLOCKS VIRTUALLY ALL SUNLIGHT


+ LETS RAIN AND MELTING SNOW EASILY DRAIN THROUGH

# THERE'S ONLY ONE LOOP-LOC.

HERE ARE

## 15 REASONS WHY.

- 1 A LOOP-LOC cover is the only safety cover to be awarded UL certification year after year.
- 2 Mesh construction lets rain and melting snow drain right through.
- 3 LOOP-LOC is so durable, it's backed by a 15-year prorated warranty and so safe, it may reduce your liability insurance.
- 4 LOOP-LOC is so lightweight, putting it on and taking it off your pool is a snap.
- 5 LOOP-LOC blends beautifully into any backyard, with your choice of standard Spring Green or four optional designer colors.
- 6 LOOP-LOC's patented CABLE-LOC™ and GAPGUARD® Child Safety Intrusion Barriers close the gap created when a pool includes raised obstructions located at the cover's edge.
- 7 The polyester bonded thread used in LOOP-LOC covers is 30% stronger in thread size and produces a higher margin of safety in all seams (compared to our competitors).
- 8 Double perimeter webbing and double-thick straps give our covers an incredibly high break strength.
- 9 We use extremely high-strength, non-corrosive 302 grade stainless steel springs for superior weight-bearing capacity.
- 10 Unique brass anchors recess flush with the deck when the cover is removed.
- 11 We sew the webbing to the cover using contrasting white thread, instead of black, to ensure that not a single stitch is missed.
- 12 We use 87% black yarn in our fabric for superior UV stability.
- 13 Chafe strips are manufactured with exclusively virgin material - not "regrind," which tends to stain decking.
- 14 Non-corrosive aluminum tips are double-notched for stability.
- 15 The large X-tacking on LOOP-LOC straps is sewn manually for precise placement and maximum strength.



**Drains super-fast with optional mesh drainage panels**

Cover without panels blocks 100% of sunlight and comes with automatic pump, which must be used at all times to meet ASTM safety cover standards.

**Incredibly lightweight**

**Superior "bounce back" eliminates ugly pockets of water and debris**

**Blends beautifully into any backyard décor in your choice of blue, tan or green.**



# ULTRA-LOC<sup>®</sup>

NOW PATENTED, ULTRA-LOC II<sup>®</sup> SOLID SAFETY COVER IS TOUGHER THAN TOUGH, STRONGER THAN STRONG!

You no longer have to choose between the light weight of a mesh pool cover and the light-blocking benefits of a solid cover. Revolutionary ULTRA-LOC II gives you the best of both worlds!



LOOP-LOC covers not only meet, but exceed ASTM standards for Safety Swimming Pool Covers F 1346-91. To show our commitment and dedication to the safety and security of your family, LOOP-LOC covers have undergone extensive outside testing through Underwriters Laboratories (U.L) and have earned the seal of approval for safety swimming pool covers.

- + 0% VINYL
- + 100% RECYCLABLE ULTRA-STRONG MATERIAL
- + 15-YEAR PRORATED WARRANTY

## IT'S THE ONLY SOLID SAFETY POOL COVER THAT:

- ✓ Is environmentally-friendly because its 100% ultra-strong polypropylene material (0% vinyl) is 100% recyclable.
- ✓ Bounces back better and drains super fast. No more ugly pockets of water and debris that is found with typical solid vinyl covers.
- ✓ Requires no scrubbing or heavy maintenance like solid waterbag covers. And it's much lighter in weight than typical solid vinyl covers, so putting it on and taking it off your pool is a snap!
- ✓ Fits any pool or spa perfectly, from a simple square to a complex installation with a custom cover.



Manual Safety Cover  
In accordance with ASTM  
Standard F 1346-91

# COMMERCIAL COVERS

LOOP-LOC KEEPS YOUR FACILITY SAFE AND SAVES YOU MONEY.

In the off season, an empty, unsupervised commercial pool can be an invitation for disaster. Locked gates or fences alone have often proved ineffective in preventing children and pets from gaining access to the pool area.

- + MANUFACTURED WITH THE HIGHEST QUALITY MATERIALS
- + BUILT SUPER STRONG TO PROTECT CHILDREN
- + 15-YEAR PRORATED WARRANTY

# LOOP-LOC® SPECIFICATIONS

EXCEEDS ASTM STANDARD F 1346-91 FOR COMMERCIAL AND RESIDENTIAL INSTALLATIONS.

## **MATERIAL:**

Polypropylene-extruded monofilament yarn. 525 denier in the warp and 595 denier in fill. 41 x 20 construction plus 80% minimum black yarn and 20% minimum green yarn for best U.V. stability. Burst strength of material is 650 P.S.I.

## **WEBBING:**

1" wide polypropylene, polyester with nylon filler. Minimum break strength: 2,100 pounds single. To be used double-thick for minimum strap break-strength of 4,200 pounds. Minimum 90% black yarn. (Cotton, wool or other natural fibers treated or untreated are unacceptable for safety cover use).

## **CHAFING STRIPS:**

(Under cover) 1" minimum width, 20" to 36" long (depending on cover overlap) extruded solid, virgin vinyl 3/16" thick. All inside corners heavily padded.

## **SAFETY BARRIER/GAPGUARD®:**

Solid, virgin vinyl 3" extrusion for raised walls, etc., and 15" extrusion for raised steps as needed to meet (or exceed) ASTM Safety Standard F 1346-91. LOOP-LOC Patent No. 4,982,457.

## **THREAD:**

Dabond polyester Veemo - UVR. Size 138. Three rows of stitching all directions.

## **SPRINGS:**

302/304 stainless steel, two draw-bar compression type with thick vinyl tubular deck-protective covers. Break strength: 3,200 pounds.

## **ANCHORS:**

Brass, flush-mounted in deck with screw-type insert. 4,000 pound break strength at neck.

## **INSTALLATION TOOLS:**

30" long steel rod, with notched end and plastic grip.

## **FINISHED COVER:**

To have sections approximately 3" x 3". (For residential rectangular pools only, cover may be made with approximately 5' x 5' sections.) All straps to be "X"-tacked at cover edge with stainless steel buckles and aluminum tips.

## **WARRANTY:**

Safety cover will have a 15-year prorated warranty.



Save big on water because the pool doesn't need to be drained at the end of every season.



Extend the life of your pool by reducing the need for repainting or replastering.



Have the potential to lower your liability insurance premium.



Help the environment. Keeping the pool filled means you don't have to worry about disposing of chlorine and chemically treated water, an environmental hazard that many states are in the process of regulating.





# LOGO-LOC




- + CUSTOMIZE YOUR POOL COVER WITH A HI-RES IMAGE OF AT LEAST 300 DPI
- + MONOGRAMS, PICTURES, SCENES  
COMPANY LOGOS ACCEOTED
- + MAXIMUM LOGO IMAGE AREA: 16' (W) X 150' (L)
- + TWO-PIECE LOGOS WELCOMED





Now you can customize your pool cover with a statement that's all about you with LOGO-LOC. Want to personalize your cover by adding family, favorite destinations, pets, monograms? Send a photo. Want to promote your hotel, brand, condominium, business? Send us your logo. Thanks to LOGO-LOC, your pool will draw attention to whatever you want to showcase.






# UNIQUE SOLUTIONS FOR ONE-OF-A-KIND POOLS

## CABLE-LOC™

WE'VE RAISED THE BAR ON RAISED WALL INSTALLATION

Installing LOOP-LOC safety covers on pools with raised walls is now a whole lot easier for you... and a more beautiful experience for your customers. Our innovative new CABLE-LOC treatment features flexible anchor positioning for much faster installation, exceptional quality materials, and a sleek new look that homeowners will love!



- + 33% FEWER ANCHORS
- + FASTER & EASIER TO INSTALL
- + ELEGANT & STURDY DESIGN

1. New smaller-profile SAFEDGE® Safety Barrier is segmented to better adapt to walls
2. Aircraft-quality stainless steel cable has 5,000 lb. break strength
3. Maximum 18" anchor spacing

# AQUA-LOC<sup>®</sup>

THE ZIPPED-UP SOLUTION FOR OBSTRUCTIONS AND OVERSIZED POOLS.


Large commercial pools and pools with rails and other non-removable raised obstructions have always posed challenges for safety swimming pool cover installation.

LOOP-LOC's patented AQUA-LOC treatment is easy to install, easy to use, and greatly reduces the need for strap-and-buckle treatments.

Meets all ASTM standards for safety covers.



1. YKK industrial zipper secures cover sections
2. Black urethane UV coating protects zipper
3. Stainless steel block prevents zipper from being opened
4. Key-lockable cable secures block in place



1. Triangular flap of mesh material sewn to underside of cover
2. Extrusion with multiple anchoring locations sewn to flap where it meets deck and raised obstruction
3. Standard LOOP-LOC hardware installed at approx. 3' intervals, secures flap to deck and obstruction

# PROTECT-A-GAP

THE SAFEST, SIMPLEST WAY TO CLOSE GAPS CREATED BY RAISED SPAS.

LOOP-LOC's PROTECT-A-GAP technology is the perfect safety cover solution for raised spas, waterfalls, rises or any obstruction higher than 9", where a two-cover treatment is not desired. It is easy to install and can be "field fit" to provide the most secure gap barrier for each cover. Plus, the materials are flexible enough to provide a close fit on virtually any shape. With PROTECT-A-GAP, you can feel confident that your pool will remain safe and secure.



# ON-GROUND POOL COVERS

SUPERIOR SAFETY, STRENGTH AND PROTECTION.

Owners of on-ground pools (surrounded by at least 2 feet of deck\*) can enjoy the same safety, strength and protection that owners of in-ground pools have enjoyed for years with a LOOP-LOC On-Ground safety cover.

+ GOES ON & OFF IN A SNAP!

+ UNIQUE PATENTED  
BRACKET FITS MANY  
DECKS

+ BUILT SUPER STRONG  
TO PROTECT CHILDREN  
& PETS


## THE ONLY ON-GROUND POOL COVER GOOD ENOUGH TO BE LOOP-LOC

- ✓ Mesh lets rain pass through, so no hazardous standing water collects on top.
- ✓ Non-corrosive type 302 stainless steel springs and double-notched aluminum tips.
- ✓ Durable double-thick solid polypropylene webbing straps surround entire perimeter, not just corners.
- ✓ Easy to maintain. Mesh fabric requires no scrubbing and powdering when you remove it.

\*NOTE: Pool must be surrounded by a self-supporting deck at least 2 feet wide. Not for basic above-ground pools.




Superior poly-coated, open-weave mesh black fabric offers high tensile strength and excellent UV stability.



## BABY-LOC<sup>®</sup>

THE FIRST REMOVABLE FENCING GOOD ENOUGH TO COME FROM LOOP-LOC!

While there's no substitute for adult supervision, BABY-LOC provides a convenient extra layer of protection to help deter toddlers from gaining access to a swimming pool, raised deck or dock.



+ HEIGHTS OF 4.5' OR 5' EXCEEDS U.S. CONSUMER PRODUCT GUIDELINES

+ HIGH QUALITY CONSTRUCTION

+ EASY SET UP & REMOVAL

+ CONVENIENT & HASSLE-FREE

Premium fiberglass or aluminum poles are non-corrosive, rust-proof, and color-matched to our black fabric.